



BABINGTON HOUSE SCHOOL

ALLERGY AND ANAPHYLAXIS POLICY

Babington House School

Date of Policy	Review Date	Reviewed By	Approved By
May 2026	May 2027	Michelle Da Silva School Nurse	SLT

Safeguarding and child protection are at the forefront and underpin all relevant aspects of process and policy development at Babington House School.

All systems, processes and policies operate with the best interests of the child at their heart.

Every Child Matters									
Health and Self care	✓	Safety	✓	Learning and Development and Behaviour for Learning		Parent Links		Transition and the Community	

A Unique Child		Positive Relationships		Enabling Environments		Children develop and learn in different ways and at different rates	
-----------------------	--	-------------------------------	--	------------------------------	--	--	--

RELATED POLICIES
Administration of Medication Policy
Safeguarding Policy
Health and Safety Policy
Health and Safety Policy – EYFS
Allergy and Allergic reactions for EYFS Policy
Risk Assessment Policy

- 1. Aims and objectives**
- 2. What is an allergy?**
- 3. Definitions**
- 4. Roles and responsibilities**
- 5. Assessing and managing risk**

1. AIMS AND OBJECTIVES

This policy outlines Babington house School’s approach to allergy management, including how the whole-school community works to reduce the risk of an allergic reaction happening and the procedures in place to respond if ones does. It also sets out how we support our pupils with allergies to ensure their wellbeing and inclusion, as well as demonstrating our commitment to being an Allergy Aware School.

2. WHAT IS AN ALLERGY?

Allergy occurs when a person reacts to a substance that is usually considered harmless. It is an immune response and instead of ignoring the substance, the body produces histamine which triggers an allergic reaction.

Whilst most allergic reactions are mild, causing minor symptoms, some can be very serious and cause anaphylaxis, which is a life-threatening medical emergency.

People can be allergic to anything, but serious allergic reactions are most commonly caused by food, insect venom (such as a wasp or bee sting), latex and medication.

3. DEFINITIONS

ANAPHYLAXIS: Anaphylaxis is a severe allergic reaction that can be life-threatening and must be treated as a medical emergency.

ALLERGEN: A normally harmless substance that, for some, triggers an allergic reaction. You can be allergic to anything. The most common allergens are food, medication, animal dander (skin cells shed by animals with fur or feathers) and pollen. Latex and wasp and bee stings are less common allergens.

Most severe allergic reactions to food are caused by just 9 foods. These are eggs, milk, peanuts, tree nuts (which includes nuts such as hazelnut, cashew nut, pistachio, almond, walnut, pecan, Brazil nut, macadamia etc), sesame, fish, shellfish, soya and wheat.

There are 14 allergens required by law to be highlighted on pre-packed food. These allergens are celery, cereals containing gluten, crustaceans, egg, fish, lupin, milk, molluscs, mustard, peanuts, tree nuts, soya, sulphites (or sulphur dioxide), and sesame.

ADRENALINE AUTO-INJECTOR: Single-use device which carries a pre-measured dose of adrenaline. Adrenaline auto-injectors are used to treat anaphylaxis by injecting adrenaline directly into the upper, outer thigh muscle. Adrenaline auto-injectors are commonly referred to as AAI's, adrenaline pens or by the brand name EpiPen. There are three brands licensed for use in the UK: EpiPen, Jext Pen For the purposes of this Policy we will refer to them as Adrenaline Pens.

ALLERGY ACTION PLAN: This is a document filled out by a healthcare professional, detailing a person's allergy and their treatment plan. [We recommend the BSACI Allergy Action Plan paediatric templates which include versions for: people without a prescribed adrenaline pen, people prescribed with different brands of adrenaline pen. [Paediatric Allergy Action Plans - BSACI](#)]

INDIVIDUAL HEALTHCARE PLAN: A detailed document outlining an individual pupil's condition, history, treatment, risks and action plan. This document should be created by schools in collaboration with parents/carers and, where appropriate, pupils. All pupils with an allergy should have an Individual Healthcare Plan and it should be read in conjunction with their Allergy Action Plan.

RISK ASSESSMENT: A detailed document outlining an activity, the risks it poses and any actions taken to mitigate those risk. Allergy should be included on all risk assessments for events on and off the school site.

SPARE PENS: From 2017 schools have been able to purchase spare adrenaline pens. These should be held as a back-up, in case pupils' own adrenaline pens are not available. They can also be used to treat a person who experiences anaphylaxis but has not been prescribed their own adrenaline.

4. ROLES AND RESPONSIBILITIES

Babington House School takes a whole-school approach to allergy management.

4.1 Designated Allergy Lead

The Designated Allergy Lead is E Channon with the support of the School Nurse M Da Silva They report into Mr D Laird the Head Teacher They are responsible for:

- Ensuring the safety, inclusion and wellbeing of pupils with allergy.
- Taking decisions on allergy management across the school
- Championing and practising allergy awareness across the school
- Being the overarching point of contact for staff, pupils and parents with concerns or questions about allergy management
- Working together with the School Nurse to ensure allergy information is recorded, up-to-date and communicated to all

- Making sure all staff are appropriately trained, have good allergy awareness and realise their role in allergy management (including what activities need an allergy risk assessment)
- Ensuring staff, pupils and parents have a good awareness of the school's Allergy and Anaphylaxis Policy, and other related procedures
- Reviewing the stock of the school's spare adrenaline pens (check the school has enough and the locations are correct) and ensuring staff know where they are
- Keep a record of any allergic reactions or near-misses and ensure an investigation is held as to the cause and put in place any learnings
- Regularly reviewing and updating the Allergy and Anaphylaxis Policy

At regular intervals the Designated Allergy Lead will check procedures and report to the SLT.

4.2 School nurse/ Healthcare team

School Nurse Michelle Da Silva is responsible for:

- Collecting and coordinating the paperwork (including Allergy Action Plans and Individual Healthcare Plans) and information from families (this is likely to involve liaising with the Admissions Team for new joiners)
- Support the Designated Allergy Lead on how this information is disseminated to all school staff, including the Catering Team, occasional staff and staff running clubs
- Ensuring the information from families is up-to-date, and reviewed annually (at a minimum)
- Coordinating medication with families. Whilst it's the parents and carers responsibility to ensure medication is up to date, the nursing team should also have systems in place to check this and notify the parents when they see the expiry date is approaching
- Keeping an adrenaline pen register to include Adrenaline Pens prescribed to pupils and Spare Pens, including brand, dose and expiry date. The location of Spare Pens should also be documented.
- Regularly checking spare pens are where they should be, and that they are in date
- Replacing the spare pens when necessary
- Providing on-site adrenaline pen training for other members of staff and refresher training as required e.g. before school trips
- Meet regularly with the Designated lead to discuss any acquired changes or updates for the school..

4.3 Admissions Team

The admissions team is likely to be the first to learn of a pupil or visitor's allergy. They should work with the Designated Allergy Lead and school nursing team to ensure that:

- There is a clear method to capture allergy information or special dietary information at the earliest opportunity
- There is a clear structure in place to communicate this information to the relevant parties (i.e. school nursing team, catering team)
- Visitors (for example at Open Days and events) are aware of the catering set up and if food is to be offered and plans for medication if the child is to be left without parental supervision

4.4 All staff

All school staff, to include teaching staff, support staff, domestic staff, occasional staff (for example sports coaches, music teachers and those running breakfast and afterschool clubs) are responsible for:

- Championing and practising allergy awareness across the school
- Understanding and putting into practice the Allergy and Anaphylaxis Policy and related procedures, and asking for support if needed
- Being aware of pupils with allergies and what they are allergic to
- Considering the risk to pupils with allergies posed by any activities and assessing whether the use of any allergen in activity is necessary and/or appropriate.
- Ensuring pupils always have access to their medication or in EYFs Teachers carrying it on their behalf when moving around the school, or school trips.
- Being able to recognise and respond to an allergic reaction, including anaphylaxis
- Taking part in training and anaphylaxis drills as required (at least once a year) and to tell a manager if you have not received any in the last 12 months
- Considering the safety, inclusion and wellbeing of pupils with allergies at all times
- Preventing and responding to allergy-related bullying, in line with the school's anti-bullying policy.

4.5 All parents

All parents and carers (whether their child has an allergy or not) are responsible for:

- Being aware of and understanding the school's Allergy and Anaphylaxis Policy and considering the safety and wellbeing of pupils with allergies
- Providing the school Nurse and designated form tutor information about their child's medical needs, including dietary requirements and allergies, history of their allergy, any previous allergic reactions or anaphylaxis. They should also inform the school of any related conditions, for example asthma, hayfever, rhinitis or eczema
- Considering and adhering to any food restrictions or guidance the school has in place when providing food, for example in packed lunches, as snacks or for fundraising events
- Refraining from telling the school their child has an allergy or intolerance if this is a preference or dietary choice
- Encouraging their child to be allergy aware and be responsible for carrying their medi-pacs with them at all times

4.6 Parents of children with allergies

In addition to point 4.5, the parents and carers of children with allergies should:

- Work with the school to fill out an Individual Healthcare Plan and provide an accompanying Allergy Action Plan
- If applicable, provide the school or their child with two labelled adrenaline pens and any other medication, for example antihistamine (with a dispenser, ie. spoon or syringe), inhalers or creams
- Ensure medication is in-date and replaced at the appropriate time

- Update school with any changes to their child's condition and ensure the relevant paperwork is updated too
- Provide the school with an up-to-date photograph of their child and sign the associated permission for it to be shared appropriately as part of their allergy management.
- Support their child to understand their allergy diagnosis and to advocate for themselves and to take reasonable steps to reduce the risk of an allergic reaction occurring eg. not eating the food they are allergic to.

4.7 All pupils

All pupils at the school should:

- Be allergy aware
- Understand the risks allergens might pose to their peers
- Learn how they can support their peers and be alert to allergy-related bullying.
- Older pupils will learn how to recognise and respond to an allergic reaction and to support their peers and staff in case of an emergency
- If pupils are likely to be buying or bringing in food from home and are old enough to check the ingredients include a line about adhering to food restrictions or guidance about food being brought in

All of the above should be done in an age-appropriate way.

4.8 Pupils with allergies

In addition to point 4.7, pupils with allergies are responsible for:

- Depending on age of pupil they should know what their allergies are and how to mitigate personal risk
- In EYF years Teacher will advocate their allergies for the pupil until they can advocate for themselves.
- Avoiding their allergen as best as they can
- Understand that they should notify a member of staff if they are not feeling well, or suspect they might be having an allergic reaction
- If age-appropriate, to carry two adrenaline auto-injectors with them at all times. They must only use them for their intended purpose
- In EYFs the pupil's adrenaline auto injectors will be kept in their own med-pac in the first aid cupboard within their classroom. This should be accessible to all staff
- Understand how and when to use their adrenaline auto-injector
- Talking to the Designated Allergy Lead or a member of staff if they are concerned by any school processes or systems related to their allergy
- Raising concerns with a member of staff if they experience any inappropriate behaviour in relation to their allergies
- Older Pupils permitted to leave the school site on their own at the end of the day should know what to do if they have an allergic reaction off school premises. This should include how to treat themselves and raise the alarm to get help.

5. INFORMATION AND DOCUMENTATION

7.1 Register of pupils with an allergy

The school has a 'Think of me' register of pupils with up to date photograph of who have a diagnosed allergy. This includes children who have a history of anaphylaxis or have been prescribed adrenaline pens, as well as pupils with an allergy where no adrenaline pens have been prescribed.

7.2 Each pupil with an allergy has an Individual Healthcare Plan. The information on this plan includes:

- Known allergens and risk factors for allergic reactions
- A history of their allergic reactions
- Detail of the medication the pupil has been prescribed including dose, this should include adrenaline pens, antihistamine etc.
- A copy of parental consent to administer medication, including the use of spare adrenaline pens in case of suspected anaphylaxis
- A photograph of each pupil
- A copy of their Allergy Action Plan.

6. ASSESSING RISK

Allergens can crop up in unexpected places. Staff (including visiting staff) will consider allergies in all activity planning and include it in risk assessments. Some examples include:

- Classroom activities, for example craft using food packaging, science experiments where allergens are present, food tech or cooking
- Bringing animals into the school, for example a dog or hatching chick eggs can pose a risk.
- Running activities or clubs where they might hand out snacks or food "treats". Ensure safe food is provided or consider an alternative non-food treat for all pupils.
- Planning special events, such as cultural days and celebrations

Inclusion of pupils with allergies must be considered alongside safety and they should not be excluded. If necessary, adapt the activity.

7. FOOD, INCLUDING MEALTIMES & SNACKS

6.1 CATERING IN SCHOOL

The school is committed to providing a safe meal for all students, including those with food allergies.

- Due diligence is carried out with regard to allergen management when appointing catering staff

- All catering staff and other staff preparing food will receive relevant and appropriate allergen awareness training
- Anyone preparing food for pupils with allergies will follow good hygiene practices, food safety and allergen management procedures
- The catering team will endeavour to get to know the pupils with allergies and what their allergies are supported by all school staff.
- The school has robust procedures in place to identify pupils with food allergies; these are Think of me charts which have the pupils photograph and a list their allergies and foods to avoid. These are located on a board in the kitchen which is used as a reference guide to all catering staff.
- Coloured trays for food allergies are also used to help catering staff identify a child has a food allergy. These are currently blue but will change to Red in September 2026.
- For EYF pupils the teachers will get a red tray for the pupils who are unable to be responsible for their allergies and food choices..
- Food containing the main 14 allergens (see Allergens definition) will be clearly identified for pupils, staff and visitors to see. Other ingredient information will be available on request.
- Food packaged to go will comply with PPDS legislation (Natasha's Law) requiring the allergen information to be displayed on the packaging.
- Where changes are made to the ingredients this will be communicated to pupils with dietary needs by Catering staff
- [Food provided at breakfast club and after school club will follow these procedures
- The school is a Nut free environment, and this also adhered to by the catering staff

6.2 FOOD BROUGHT INTO SCHOOL

- The school remains is committed to a nut free environment, No nuts should be brought into school in the form of snacks, cakes or drinks. This has been widely communicated to all families and pupils who attend the school.
- The school caters for all events at the school i.e. parents' events, celebratory events always adhering allergen management that has been outlined.

6.3 FOOD BANS OR RESTRICTIONS

It's Important to remind everyone to be allergy aware and to remain vigilant is vital.

If you would like to restrict certain foods recommended wording is as follows:

- This school is an Allergen Aware school. We have students with a wide range of allergies to different foods, so we encourage a no snack approach to pupils.
- We try to restrict all nut products as much as possible on the site and check all foods coming into the kitchen.
- All food coming onto school premises or taken on a school trip or to a match should be checked to ensure nuts are not an ingredient in another product. Please check the label on all foods brought in. Common foods that contain these goods as an ingredient include packaged nuts, cereal bars, chocolate bars, nut butters, chocolate spread, sauces

6.4 FOOD HYGIENE FOR PUPILS

- Pupils will wash their hands before and after eating
- Sharing, swapping or throwing food is not allowed
- Water bottles should be individual and not shared and labelled if possible.

8. SCHOOL TRIPS AND SPORTS FIXTURES

- Staff leading the trip will have a register of pupils with allergies with medication details
- Allergies will be considered on the risk assessment and catering provision put in place
- Consult with the parents if the trip requires an overnight stay
- Staff accompanying the trip will be trained to recognise and respond to an allergic reaction
- Allergens will be clearly labelled on catered packed lunches to ensure they always receive a safe meal.
- If attending Match Tea at another school, details of their dietary requirements will be sent ahead to ensure they have a safe meal.
- See Adrenaline Pens section for School Trips and Sports Fixtures

9. INSECT STINGS

pupils with a known insect venom allergy should:

- Avoid walking around in bare feet or sandals when outside and when possible, keep arms and legs covered.
- Avoid wearing strong perfumes or cosmetics
- Keep food and drink covered

The school site team will monitor the grounds for wasp or bee nests. Pupils (with or without allergies) should notify a member of staff if they find a wasp or bee nest in the school grounds and avoid them.

10. ANIMALS

It is normally the dander that causes a person with an animal allergy to react.

Precautions to limit the risk of an allergic reaction include:

- A pupil with a known animal allergy should avoid the animal they are allergic to
- If an animal comes on site a risk assessment will be done prior to the visit
- Areas visited by animals will be cleaned thoroughly
- Anyone in contact with an animal will wash their hands after contact
- School trips that include visits to animals will be carefully risk assessed

11. INCLUSION AND MENTAL HEALTH

Allergies can have a significant impact on mental health and wellbeing. Pupils may experience anxiety and depression and are more susceptible to bullying.

- No child with allergies should be excluded from taking part in a school activity, whether on the school premises or a school trip.
- Pupils with allergies may require additional pastoral support including regular check-ins from their Tutor.
- Affected pupils will be given consideration in advance of wider school discussions about allergy and school Allergy Awareness initiatives
- Bullying related to allergy will be treated in line with the school's anti-bullying policy

12. ADRENALINE PENS

[See the government guidance on Adrenaline Pens in Schools.](#)

12.1 Storage of adrenaline pens

- Pupils prescribed with adrenaline pens will have easy access to two, in-date pens at all times.
- Older children and teenagers should, whenever possible, assume responsibility for their emergency kit under the guidance of their parents. However, symptoms of anaphylaxis can come on **very suddenly**, so school staff need to be prepared to administer medication if the young person cannot.
- For younger children in EYF or those not ready to take responsibility for their own medication, there should be an anaphylaxis kit which is kept within 5 minutes of them, not locked away and accessible to all staff.
- Medication should be stored in a orange medi-pac and clearly labelled with the pupil's name. The pupil's medication storage container should contain:
 - Two AAls i.e. EpiPen® or Jext®
 - An up-to-date allergy action plan
 - Antihistamine as tablets or syrup (if included on allergy action plan)
 - Spoon if required
 - Asthma inhaler (if included on allergy action plan).
- It is the responsibility of the child's parents to ensure that the anaphylaxis kit is up-to-date and clearly labelled, however the School Nurse will check medication kept at school on a termly basis and send a reminder to parents if medication is approaching expiry.
- Spot checks will be made to ensure adrenaline pens are where they should be and in date
- Adrenaline pens must not be kept locked away
- Adrenaline pens should be stored at moderate temperatures (see manufacturer's guidelines), not in direct sunlight or above a heat source (for example a radiator)
- Used or out of date pens will be disposed of as sharps

12.2 Spare pens

This school has 3 anaphylaxis kits that each contain 2 spare adrenaline pens (0.15mg/0.3mg) to be used in accordance with government guidance.

The adrenaline pens are clearly communicated to staff and are stored:

- **Canteen area** (above the first aid cupboard at the back of the Hall)
- **Admin office** (in the first aid box at the front of the office this is unlocked during the day)
- **Sports office** (the mobile anaphylaxis Kit used for fixtures and sporting events outside school, and school trips if required)

The School Nurse and Designated allergen lead are responsible for:

- Deciding how many spare pens are
- What dosage is required, based on the Resuscitation Council UK's age-based guidance
- Which brand(s) to buy. Schools are recommended to buy a single brand if possible to avoid confusion.
- The purchasing of spare adrenaline pens which can be obtained at low cost from a local pharmacy. See government guidance above
- Distribution around the site and clear signage

12.3 Adrenaline pens on school trips and match days

- No child with a prescribed adrenaline pen will be able to go on a school trip without two of their own pens
- Adrenaline pens will be always kept close to the pupils e.g. not stored in the hold of the coach when travelling or left in changing rooms
- Adrenaline pens will be protected from extreme temperatures
- Staff accompanying the pupils will be aware of pupils with allergies and be trained to recognise and respond to an allergic reaction
- Consider whether to take Spare pens to sporting fixtures and on trips

13. RESPONDING TO AN ALLERGIC REACTION /ANAPHYLAXIS

See appendix on recognising and responding to an allergic reaction

- If a pupil has an allergic reaction, they will be treated in accordance with their Allergy Action Plan
- If anaphylaxis is suspected adrenaline will be administered without delay, lying the pupil down with their legs raised as described in the Appendix. They will be treated where they are and medication brought to them.
- A pupil's own prescribed medication will be used to treat allergic reactions if immediately available.
- This will be administered by the pupil themselves [if age appropriate] or by a member of staff. Ideally the member of staff will be trained, but in an emergency, **anyone** will administer adrenaline.
- If the pupil's own adrenaline pen is not available or misfires, then a spare adrenaline pen will be used.
- If anaphylaxis is suspected but the pupil does not have a prescribed adrenaline pen or Allergy Action Plan, a member of staff will ensure they are lying down with their legs raised, call 999 and explain anaphylaxis is suspected. They will inform the operator that spare adrenaline pens are available and follow instructions from the operator. The MHRA says that in exceptional circumstances, a spare adrenaline pen can be administered to **anyone** for the purposes of saving their life.

- The pupil will not be moved until a medical professional/ paramedic has arrived, even if they are feeling better.
- Anyone who has had suspected anaphylaxis and received adrenaline must go to hospital, even if they appear to have recovered. A member of staff will accompany the pupil in an ambulance and stay until a parent or guardian arrives.

14. TRAINING

15.1 The school is committed to training all staff annually to give them a good understanding of allergy. This includes:

- Understanding what an allergy is
- How to reduce the risk of an allergic reaction occurring
- How to recognise and treat an allergic reaction, including anaphylaxis
- How the school manages allergy, for example Emergency Response Plan, documentation, communication etc
- Where adrenaline pens are kept (both prescribed pens and spare pens) and how to access them
- The importance of inclusion of pupils with food allergies, the impact of allergy on mental health and wellbeing and the risk of allergy related bullying
- Understanding food labelling

13. Useful Links

- Anaphylaxis UK - <https://www.anaphylaxis.org.uk/>
- Safer Schools Programme - <https://www.anaphylaxis.org.uk/education/safer-schools-programme/>
- Allergy Wise for Schools online training - <https://www.allergywise.org.uk/p/allergywise-for-schools1> Allergy UK - <https://www.allergyuk.org>
- Resources for managing allergies at school - <https://www.allergyuk.org/living-with-an-allergy/at-school/>

BSACI Allergy Action Plans - <https://www.bsaci.org/professional/resources/resources/paediatric-allergy-action-plans/>

Spare Pens in Schools - <http://www.sparepensinschools.uk>

Department for Education Supporting pupils at school with medical conditions - https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/803956/supporting-pupils-at-school-with-medical-conditions.pdf

Department of Health Guidance on the use of adrenaline auto-injectors in schools - https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/645476/Adrenaline_auto_injectors_in_schools.pdf

Food allergy quality standards (The National Institute for Health and Care Excellence, March 2016) <https://www.nice.org.uk/guidance/qs118>

Anaphylaxis: assessment and referral after emergency treatment (The National Institute for Health and Care Excellence, 2020) <https://www.nice.org.uk/guidance/cg134?unlid=22904150420167115834>



MANAGING ALLERGIC REACTIONS

ALLERGIC REACTIONS VARY

Allergic reactions are unpredictable and can be affected by factors such as illness or hormonal fluctuations.

You cannot assume someone will react the same way twice, even to the same allergen.

Reactions are not always linear. They don't always progress from mild to moderate to more serious; sometimes they are life-threatening within minutes.

MILD TO MODERATE ALLERGIC REACTIONS

Symptoms include:

- Swollen lips, face or eyes
- Itchy or tingling mouth
- Hives or itchy rash on skin
- Abdominal pain
- Vomiting
- Change in behaviour

Response:

- Stay with pupil
- Call for help
- Locate adrenaline pens
- Give antihistamine
- Make a note of the time
- Phone parent or guardian
- Continue to monitor the pupil

SERIOUS ALLERGIC REACTIONS / ANAPHYLAXIS

The most serious type of reaction is called **ANAPHYLAXIS**.

Anaphylaxis is uncommon, and children experiencing it almost always fully recover.

In rare cases, anaphylaxis can be fatal. It should always be treated as a time-critical medical emergency.

People who have never had an allergic reaction before, or who have only had mild to moderate allergic reactions previously, can experience anaphylaxis.

Anaphylaxis usually occurs within 20 minutes of eating a food but can begin 2-3 hours later.



RESPONDING TO ANAPHYLAXIS

SYMPTOMS OF ANAPHYLAXIS

A – Airway

- Persistent cough
- Hoarse voice
- Difficulty swallowing
- Swollen Tongue

B – Breathing

- Difficult or noisy breathing
- Wheeze or cough

C - Circulation

- Persistent dizziness
- Pale or floppy
- Sleepy
- Collapse or unconscious

IF YOU SUSPECT ANAPHYLAXIS, GIVE ADRENALINE FIRST BEFORE YOU DO ANYTHING ELSE.

DELIVERING ADRENALINE

1. Take the medication to the patient, rather than moving them.
2. The patient should be lying down with legs raised. If they are having trouble breathing, they can sit with legs outstretched.
3. It is not necessary to remove clothing but make sure you're not injecting into thick seams, buttons, zips or even a mobile phone in a pocket.
4. Inject adrenaline into the upper outer thigh according to the manufacturer's instructions.
5. Make a note of the time you gave the first dose and call 999 (or get someone else to do this while you give adrenaline). Tell them you have given adrenaline for anaphylaxis.
6. Stay with the patient and do not let them get up or move, even if they are feeling better (this can cause cardiac arrest).
7. Call the pupil's emergency contact.
8. If their condition has not improved or symptoms have got worse, give a second dose of adrenaline after 5 minutes, using a second device. Call 999 again and tell them you have given a second dose and to check that help is on the way.
9. Start CPR if necessary.
10. Hand over used devices to paramedics and remember to get replacements.

For more information see the Government's [Guidance for the use of adrenaline auto-injectors in schools](#).